

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|-----------------------------|------------------|---------|------------------|
| L2 | 49 | (US-20050025405-\$ or US-20020007549-\$).did. or (US-3546504-\$ or US-4015154-\$ or US-4635283-\$ or US-4658414-\$ or US-4964148-\$ or US-5218252-\$ or US-5265147-\$ or US-5291538-\$ or US-5315200-\$ or US-5345492-\$ or US-5521447-\$ or US-5588035-\$ or US-5774974-\$ or US-5806169-\$ or US-5861691-\$ or US-5986365-\$ or US-6002185-\$ or US-6097124-\$ or US-6118203-\$ or US-6120267-\$ or US-6150747-\$ or US-6160331-\$ or US-6173996-\$ or US-6212753-\$ or US-6280155-\$ or US-6281607-\$). did. or (US-6437464-\$ or US-6455973-\$ or US-6480571-\$ or US-6487273-\$ or US-6628021-\$ or US-6753628-\$ or US-6819742-\$ or US-6844636-\$ or US-6425176-\$ or US-6201321-\$ or US-6744158-\$ or US-4651039-\$ or US-3979822-\$ or US-3766416-\$ or US-3638055-\$ or US-3932928-\$ or US-3821846-\$). did. or (US-3155856-\$ or US-3075250-\$).did. or (JP-07264810-\$ or JP-58051754-\$). did. | US-PGPUB; USPAT; USOCR; JPO | OR | OFF | 2005/11/18 16:40 |
| L3 | 11 | I2 and elast\$5 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/11/18 16:45 |
| L4 | 10 | I2 and resili\$5 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/11/18 16:45 |
| L5 | 6 | 4 not 3 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/11/18 16:45 |
| L7 | 75 | 378/131.ccls. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/11/18 17:29 |
| L8 | 62 | 378/201.ccls. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/11/18 17:29 |
| S1 | 141 | 378/131 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/06/17 16:20 |
| S2 | 13 | 378/131 and (pressur\$6 compress\$5) with (hous\$5 cover\$4 wind\$5) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/12 22:46 |

| | | | | | | |
|-----|-----|---|---------------------------------|----|-----|------------------|
| S3 | 39 | 378/131 and (shak\$4 rattl\$4 vibrat\$5) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/12 20:03 |
| S5 | 48 | 378/131 and (shak\$4 rattl\$4 vibrat\$5 reverberat\$4 oscillat\$5) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/12 20:04 |
| S6 | 49 | 378/131 and (shak\$4 rattl\$4 vibrat\$5 reverberat\$4 oscillat\$5 wigg\$4 loosen\$4) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/12 20:05 |
| S7 | 3 | ("5265147").URPN. | USPAT | OR | OFF | 2005/06/12 20:26 |
| S8 | 10 | ("4187442" "4272696" "4276493" "4393511" "4481655" "4569070" "4573185" "4914684" "4928296" "5461659").pn. | USPAT | OR | OFF | 2005/06/12 20:52 |
| S9 | 54 | ("1772187" "2239641" "2434975" "2736205" "3084003" "3308524" "3467451" "3586100" "3740839" "3742582" "3751702" "3823772" "3834013" "3836804" "3913444" "3968982" "4098476" "4122967" "4140900" "4167351" "4253685" "4281941" "4325647" "4377335" "4461019" "4531227" "4569114" "4602411" "4635283" "4751776" "4848935" "4859143" "4866748" "4910620" "4969172" "5048168" "5056950" "5097172" "5218252" "5345492" "5379155" "5384818" "5490198" "5530733" "5609031" "5703836" "5730546").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/06/12 21:12 |
| S10 | 270 | (29/596 310/43,16-20) and (pressur\$6 compress\$5 resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) with (hous\$5 cover\$4 wind\$5) with stator | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/12 22:48 |
| S11 | 658 | ("378"/ "131" 29/596 310/43,16-20) and (pressur\$6 compress\$5 resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) with (hous\$5 cover\$4 wind\$5) with stator | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/11/18 12:51 |
| S12 | 482 | ("378"/ "131" 29/596 310/43,16-20) and (pressur\$6 compress\$5 resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) with (hous\$5 cover\$4 envelop\$4 encapsul\$4 surround\$4) with stator | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/13 15:01 |

| | | | | | | |
|-----|-----|---|---------------------------------|----|-----|------------------|
| S13 | 2 | ("378"/ "131" 29/596 310/43,16-20) and (pressur\$6 compress\$5 resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) with (hous\$5 cover\$4 envelop\$4 encapsul\$4 surround\$4) with stator and x\$3ray | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/12 22:50 |
| S14 | 193 | ("378"/ "131" 29/596 310/43,16-20) and (pressur\$6 compress\$5 resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) with (hous\$5 cover\$4 envelop\$4 encapsul\$4 surround\$4) with stator and (stator same wind\$4) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/12 22:55 |
| S15 | 110 | (378/131 29/596 310/43,16-20) and (pressur\$6 compress\$5 resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) with (hous\$5 cover\$4 envelop\$4 encapsul\$4 surround\$4) with stator and (stator same wind\$4) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/12 23:12 |
| S16 | 3 | ("5806169" "5502341" "4492889"). pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/12 23:12 |
| S17 | 2 | ("6150747").URPN. | USPAT | OR | OFF | 2005/06/12 23:15 |
| S18 | 5 | ("378"/ "131" 29/596 310/43,16-20) and (pressur\$6fit\$5 force\$3fit\$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc\$4fit\$5 "interference fit" "interference fitting") same (resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) with (hous\$5 cover\$4 envelop\$4 encapsul\$4 surround\$4) same stator | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/13 15:04 |
| S19 | 20 | ("378"/ "131" 29/596 310/43,16-20) and (pressur\$6fit\$5 force\$3fit\$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc\$4fit\$5 "interference fit" "interference fitting") same (resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) same stator | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/13 15:08 |

| | | | | | | |
|-----|-----|---|---------------------------|----|-----|------------------|
| S20 | 12 | (378/131 29/596 310/43,16-20) and (pressur\$6fit\$5 force\$3fit\$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc\$4fit\$5 "interference fit" "interference fitting") same (resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) same stator | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/17 13:49 |
| S21 | 107 | (pressur\$6fit\$5 force\$3fit\$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc\$4fit\$5 "interference fit" "interference fitting") same (resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) same stator | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/15 15:19 |
| S22 | 38 | (pressur\$6fit\$5 force\$3fit\$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc\$4fit\$5 "interference fit" "interference fitting") same (resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) same stator same (hous\$5 cover\$4 envelop\$4 encapsul\$4 surround\$4) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/13 15:09 |
| S23 | 12 | (pressur\$6fit\$5 force\$3fit\$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc\$4fit\$5 "interference fit" "interference fitting") same ((resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) with stator with (hous\$5 cover\$4 envelop\$4 encapsul\$4 surround\$4)) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/13 15:10 |
| S24 | 8 | ("5218252").URPN. | USPAT | OR | OFF | 2005/06/13 15:19 |
| S25 | 8 | ("4587722").URPN. | USPAT | OR | OFF | 2005/06/13 15:55 |
| S26 | 32 | ("1477773" "1611942" "2460063" "2465275" "2632861" "3226579" "3812392" "4082974" "4395205" "4434382" "4587722" "4602176" "4998865" "5235227" "5315200" "5461268" "5521447" "5558317" "5576584" "5612583" "5619389" "5767602" "5783892" "5810568" "5847476" "5861691").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/06/13 16:04 |
| S27 | 2 | "3546504".pn. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/06/13 16:04 |

| | | | | | | |
|-----|----|---|---------------------------------|----|-----|------------------|
| S28 | 13 | ("3546504").URPN. | USPAT | OR | OFF | 2005/06/13 16:13 |
| S29 | 0 | (stator with overmold\$4) and (stator with (pressur\$6fit\$5 force\$3fit\$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc\$4fit\$5 "interference fit" "interference fitting")) | USPAT | OR | OFF | 2005/06/13 16:14 |
| S30 | 3 | (stator with (over\$3mold\$4 "over mold" "over molded")) and (stator with (pressur\$6fit\$5 force\$3fit\$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc\$4fit\$5 "interference fit" "interference fitting")) | USPAT | OR | OFF | 2005/06/13 16:15 |
| S31 | 21 | ("5694268").URPN. | USPAT | OR | OFF | 2005/06/13 16:17 |
| S32 | 1 | "5783888".pn. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/06/14 17:27 |
| S33 | 13 | ("5783888").URPN. | USPAT | OR | OFF | 2005/06/14 17:27 |
| S34 | 7 | ("3874073" "4015154" "4492884" "4492889" "4496866" "5331730" "5783888").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/06/14 18:24 |
| S35 | 15 | ("6002185").URPN. | USPAT | OR | OFF | 2005/06/14 18:29 |
| S36 | 49 | (x-ray x\$3ray "x ray") and stator with (cushion\$4 compress\$5 elast\$8 vibrat\$6) | USPAT | OR | ON | 2005/06/14 18:31 |
| S37 | 1 | ("6487273").URPN. | USPAT | OR | OFF | 2005/06/14 18:49 |
| S38 | 18 | ("3334256" "4079217" "4355410" "4384360" "4811375" "4841557" "4884292" "4928296" "5056126" "5425067" "5515413" "5703924" "5802140" "5828727" "6075839" "6134299" "6252933").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/06/14 18:49 |
| S39 | 7 | "798637" | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/06/15 13:51 |
| S40 | 0 | 378/131.ccls. and (o-ring "o ring") | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/15 14:06 |
| S41 | 0 | 378/131.ccls. and (o-ring "o rings") | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/15 14:07 |
| S42 | 4 | 378/131 and (o-ring "o rings") | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/15 14:07 |
| S43 | 40 | (378/131 29/596 310/43,16-20) and (o-ring "o rings") same stator | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/15 15:19 |

| | | | | | | |
|-----|-----|--|---------------------------------|----|-----|------------------|
| S44 | 5 | (378/131 29/596 310/43,16-20) and (o-ring "o rings") same stator same (coating covering encapsul\$4 plastic mold\$4) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/15 15:15 |
| S45 | 28 | (378/131 29/596 310/43,16-20). ccls. and (o-ring "o rings") same stator | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/15 15:19 |
| S46 | 10 | (pressur\$6fit\$5 force\$3fit\$4 "pressure fit" "force fit" "pressure fitting" "force fitting" interferenc\$4fit\$5 "interference fit" "interference fitting") same (resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive) same stator and o\$3ring | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/15 15:20 |
| S47 | 74 | 378/131.ccls. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/06/15 15:22 |
| S48 | 136 | 378/131 and \$4ring | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/15 16:04 |
| S49 | 123 | 378/131 and \$2ring | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/15 15:25 |
| S50 | 141 | 378/131 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/15 16:04 |
| S51 | 18 | S50 not S49 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/15 16:04 |
| S52 | 21 | (378/131 29/596 310/43,16-20) and ("o ring" o-ring) with stator | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/17 14:57 |
| S53 | 0 | ho2k\$ and o-ring | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/17 14:57 |
| S54 | 0 | ho2k/\$ and o-ring | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/17 14:57 |
| S55 | 0 | h02k/\$ and o-ring | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/17 14:57 |
| S56 | 780 | h02k\$ and o-ring | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/17 14:58 |
| S57 | 464 | h02k\$ and o-ring and stator | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/06/17 14:58 |

| | | | | | | |
|-----|-----|--|---------------------------------|----|-----|------------------|
| S58 | 26 | 378/131 and cool\$5 with liquid\$4 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/06/17 15:47 |
| S59 | 56 | 378/131 and liquid\$4 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/06/17 15:47 |
| S60 | 30 | S59 not S58 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/06/17 15:47 |
| S61 | 74 | 378/131.ccls. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/06/17 16:20 |
| S62 | 141 | 378/131 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/06/17 16:20 |
| S63 | 49 | S61 and S62 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/06/17 16:20 |
| S64 | 166 | S61 or S62 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/06/17 16:22 |
| S65 | 92 | S62 not S61 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/06/17 16:22 |
| S66 | 25 | S61 not S62 | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/06/17 16:22 |
| S67 | 4 | "2293695" | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2005/06/17 17:07 |
| S68 | 1 | "6437464".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/11/17 15:34 |
| S70 | 693 | (378/131,201 29/596 310/43,16-20) and (pressur\$6 compress\$5 resilient elastomer\$4 deform\$4 epoxy\$4silicone epox\$4 silicone adhesive sylgard) with stator | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/11/18 12:59 |
| S71 | 544 | (378/131,201 29/596 310/43,16-20) and (pressur\$6 compress\$5 resilient elastomer\$4 deform\$4 epoxy\$4silicone silicone sylgard) with stator | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/11/18 12:59 |
| S72 | 1 | ("6564443").URPN. | USPAT | OR | OFF | 2005/11/18 13:31 |
| S73 | 6 | ("3331042" "3451021" "3605054" "5769391").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/18 13:32 |
| S74 | 10 | ("6201321").URPN. | USPAT | OR | OFF | 2005/11/18 14:04 |
| S75 | 3 | ("4007867").URPN. | USPAT | OR | OFF | 2005/11/18 14:47 |

| | | | | | | |
|-----|----|--|------------------------------|----|-----|------------------|
| S76 | 18 | ("3979822").URPN. | USPAT | OR | OFF | 2005/11/18 14:53 |
| S77 | 6 | ("3075250" "3155856" "3720914" "3827141").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/18 14:54 |
| S78 | 19 | ("3075250").URPN. | USPAT | OR | OFF | 2005/11/18 15:02 |